400A Supercharger Adapter For Car Tesla DC 500V CCS Combo 1 To TPC Charging Connector Adapter

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 5
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

China
MINKO
CE
CCS COMBO 1 TO TPC(CCS1-T-1)
5 pieces
negotiation
L210xW85xH52 (mm)
8 -10 working days
T/T, Western Union, MoneyGram,Paypal,Skrill,Transferwise
1000000 pieces per month

CCS combo 1 Tesla Charging Adapter



Product Specification

POM . Housing: • Rated Voltage: 500-1000V DC • Current: 400A • Power: 175kW • Plug Lifespan: >10000 Times • Protection Class: IP55 • Warranty: 12 Months • Working Temperature: -30°C~+85°C • Highlight: 10000 times tesla super charger adapter, 175kw Tesla Charging Adapter,



More Images



Our Product Introduction

400A Supercharger Adapter For Car Tesla DC 500V CCS Combo 1 To TPC Charging Connector Adapter

CCS1 To TPC Adaptor

Expand your fast charging options with the Tesla CCS Combo 1 Adapter. The adapter offers charging speeds up to 250 kW and can be used at third-party charging stations.

The CCS Combo 1 Adapter is compatible with most Tesla vehicles, though some vehicles may require additional hardware. Sign in to the Tesla app to check your vehicle's compatibility and schedule a Service retrofit if needed.

The CCS COMBO To TPC Has The Following Features:

Versatility: The adapter is designed to be compatible with a wide range of electric vehicles that support the CCS COMBO standard, making it a versatile charging option.

Fast charging: The adapter supports fast charging up to 350 kW, which can provide a significant boost to your vehicle's battery in a short amount of time.

High-quality construction: The adapter is built with durable materials and designed to withstand harsh weather conditions, making it a reliable and long-lasting charging solution.

Safety features: The adapter is equipped with multiple safety features, including overvoltage protection, overcurrent protection, and short circuit protection, to ensure safe and efficient charging.

Easy to use: The adapter is easy to install and use, with clear instructions and intuitive controls that make it simple to operate. Compact design: The adapter has a compact and lightweight design, making it easy to transport and store when not in use. Cost-effective: The adapter offers an affordable charging solution that can help reduce the cost of owning an electric vehicle.

What is the difference between CCS combo 1 and 2 adapter?

CCS, which stands for Combine Charging System comes in two types. Type 1 is mainly used in North America and South Korea, while CCS type 2 is the charging standard in Europe. They differ in the number of phases and maximum power they can provide.

Specification of CCS1 To TPC Adaptor

European standard DC adapter					
Model	CCS1-T-1	Certification	CE		
Power	175kw	Housing	POM		
Current	400A	PIDS	Copper,alloy, silver plated		
Rated voltage	500-1000V DC	Plug lifespan	>10000 times		
Protection class	IIP55	Working temperature	-30°C~+85°C		
Insulation resistance	0.7mΩ Max	Warranty	12 months		
Product insertion for	се	45 <f<80n< td=""></f<80n<>			





CCS1 PLUG



TESLA CHARGING

D

300A - 150A





Charging cable safety:

The cable should be kept out of puddles but can be kept outside.

Please remember to use the rubber cover to keep moisture from the connector when not in use. The vehicle will not charge if it senses moisture.

Moisture is the most common issue experienced and will lead to corrosion of the pins, so keep dry.

